



Typ 360



Do not remove in line flow restrictor-
Can operate between 0.1 and 10 bar

Typ 280




Example




Pos. A



Pos. B



Pos. 1









Pos. 4

Model	Typ 360		Typ 280		
	Height H (mm)	Height Y (mm)	Residual w. Z	Part flush X	Overflow W (mm)
Caprieze Close Coupled Cistern 4L	40	40	-	A	50
Sonic Cistern CC inclusive Fittings 6L	85	85	-	1	75
Dorchester Portrait Cistern CC Inc 4L	10	30	-	A	0 remove inner pipe
Granley Deco Portrait Close Coupled 6L	45	33	-	A	50
Belmonte Cistern PB Close Coupled	45	30	-	A	50
Kharine Cistern Close Coupled 6L	120	45	-	4	120
Kharine Cistern Close Coupled 4L	50	45	-	A	50
Rhyland Portrait Cistern 6L	45	30	-	A	50
Dorchester Corner Cistern Inc Fittings 6L	60	58	-	B	65
Belmonte Corner Cistern 6L	60	58	-	B	65






Type 280



GUARANTEE
2
YEAR

Type 280



GUARANTEE

2


YEAR

Type 360




0.1 - 10 bar
1.5 - 145 psi

1



2



$G^{3/8}$ = 3-4 Nm
 $G^{1/2}$ = 4-5 Nm
 UNF = 6-7 Nm

3




4



5



6



7




Guarantee

All products are manufactured to the highest standards and a 2 year guarantee covers any defect in manufacture.

Contact Details

If you require further assistance please contact Heritage Sales and Technical enquiries:

Sales: 0844 701 8501
Technical: 0844 701 8503
Email: technical@heritagebathrooms.com
Website: www.heritagebathrooms.com

Heritage Bathrooms
Unit 6 Albert Road
St Philips Central
Bristol
BS2 0XJ

